

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	98944	((divid\$3 arrang\$4 break\$3 split\$4 formation form\$3) adj2 (block section peice part segment\$3 unit element object packet fragment fraction)) with (data information content text document) same (structur\$3 assembl\$3 merg\$3 combin\$3 formation form\$3 arrang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:44
L13	13210	12 and ((divid\$3 arrang\$4 break\$3 split\$4 formation form\$3) adj2 (rule ruling instruct\$4 procedure method pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:46
L14	471	13 and (secur\$3 adj2 (rule ruling instruct\$4 procedure method pattern set setup setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:47
L15	167	14 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:48
L16	109	15 and (network and (language xml cml sgml html markup meta metadata dtd))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:32
L17	28	16 and ((transmit\$4 transmission) near1 (path channel\$3 passage link\$3 pathway rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:36
L19	25	17 and ((multi different plurality numerous more multiple) near1 (path channel\$3 passage link\$3 pathway rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:38
L21	1938	(divid\$3 adj2 (data information content text document) adj2 (block section peice part segment\$3 unit element object packet fragment fraction)) same (structur\$3 assembl\$3 merg\$3 combin\$3 formation form\$3 arrang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:31

L23	72	21 and (divid\$3 adj2 (rule ruling instruct\$4 procedure method pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:34
L24	0	23 and (secur\$3 adj2 (rule ruling instruct\$4 procedure method pattern set setup setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:49
L25	44	23 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:50
L26	9	25 and ((multi different plurality numerous more multiple) near1 (path channel\$3 passage link\$3 pathway rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:49
L27	23	21 and (secur\$3 adj2 (rule ruling instruct\$4 procedure method pattern set setup setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:35
L28	6	27 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:36
L29	13	yamada near junya	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:08
L31	1	29 and plurality near2 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:09
L32	0	28 and (language same tag same attribute and (xml sgml html markup meta metadata dtd))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:37
L33	2	28 and (language xml sgml html markup meta metadata dtd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:26

L34	587772	(data information content text document) with (block section peice part segment\$3 unit element object packet fragment fraction) with (divid\$3 structur\$3 assembl\$3 merg\$3 combin\$3 formation form\$3 arrang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:34
L35	10664	34 and ((divid\$3 arrang\$3) adj2 (rule ruling instruct\$4 procedure method pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:35
L36	144	35 and (secur\$3 adj2 (rule ruling instruct\$4 procedure method pattern set setup setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:35
L37	57	36 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:36
L38	0	37 and (language same tag same attribute and (xml sgml html markup meta metadata dtd))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:37
L39	4	37 and (language and tag and attribute and (xml sgml html markup meta metadata dtd))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:37